

Kamery			
Arri	KB.71570.D	<b>ALEXA XT Pro Camera Set PLmount</b> zawiera: K1.71300.0 - ALEXA XT camera body, XR Module, IFM-1 fi lter holder, tool set and manual K2.72034.0 - ProRes Codec Option K2.72035.0 - QuickTime File Format Option K2.72018.0 - SD Card K2.72008.0 - Electronic Viewfinder EVF-1 K2.74001.0 - Viewfinder Mounting Bracket VMB-3 K2.72012.0 - Viewfinder Cable Short (0.35m/1.2ft) KC 150-S K2.72007.0 - Center Camera Handle (CCH-1) K2.72002.0 - Wedge Adapter (WA-1) K2.72076.0 - High Speed License Key K2.72067.0 - Anamorphic De-squeeze License Key K0.71040.0 - XR Capture Drive Set 4x 512 GB K2.72021.0 - ALEXA Ethernet/RJ-45 Cable (3.00m/9.8ft) KC 153-S K2.72031.0 - ALEXA 12V Accessory Cable KC 154-SP-S K2.72015.0 - Handle Extension Block (HEB-2) K2.72083.0 - Shoulder Pad (SP-4) K2.74000.0 - Viewfinder Extension Bracket VEB-3 K2.72013.0 - Viewfinder Cable Medium (0.65m/2.1ft) KC 151-S K2.66172.0 - Bridge Plate Adapter (BPA-2)	1
SONY	PMW-F5 + AXS-R5+ VOCAS 0350-2005	PMW-F5 Camcorder 35mm 4K AXS-R5 - Recorder 4K RAW External AXS-CR1 - Access Card Reader Access Card for AXSR5 512GB (2szt) SXS128GB (2szt) SXS64GB (2szt) + Viewfinder DVF-L350 3.5 + USBP-19/15D, 19mm & 15mm Universal Shoulder Base Plate with balance dove tail 440mm + Carbon Rods	1
Akcesoria do kamer			
Arri	K2.48840.0	Single Dock USB3	1
beillen	Swit	ładowarki 2 pozycyjne i 4 pozycyjne	4
SWIT	S-8260S/8160	akumulator Li-ion 126Wh/172Wh/190Wh Heavy Duty	10

Arri	K0.71031.0	<b>Bridge Plate BP-12 Set</b> Zawiera: K2.72004.0 - BP-12 Bridge Plate K4.54362.0 - Base Plate (Bottom Plate) - fits all Bridge Plates K2.43046.0 - Support rods 240mm Ø 19mm K2.72028.0 Support rods 540 mm Ø 19mm 2szt	1
Arri	K2.72010.0	BAB-V Adapter do baterii V-mount	1
Arri	K2.47227.0	LS-9 Wspornik do obiektywu	1
Arri	K0.71033.0	Handgrip Set (prawy i lewy uchwyt, przedłużacze)	1
CamRade	CamRade/Kata	Pokrowiec przeciwdeszczowy	2
Arri	REMOTE	RCU-4 with cable 2 + 15m	1
Arri	FF	Focus lever + flexible shaft	1
Alphatron	Follow Focus	Follow Focus for 19mm rods mount	1
Arri	K0.60144.0 + K2.47629.0	<b>Follow Focus FF-5 Cine Set Pro</b> includes: K2.65246.0 - FF5-Cine Follow Focus base K2.65253.0 - Standard Focus Knob (left side) K2.65276.0 - 35 tooth, 0.8 Metric Module Gear for smaller Prime Lenses and 16mm zooms K2.65259.0 - 43 tooth, 0.8 Metric Module Gear for larger Prime Lenses and 35mm zooms K2.47215.0 - Standard Focus Knob (Right Side ) K2.32730.0 - Focus Lever (speed handle) K2.34100.0 - Flexible Shaft Short (300mm) K4.32701.0 - Marking Disk, Flat (10x) Adapter for Bridge Plate 19mm FF5	1
Cine60	VLBuffer	Bufor akumulatora V-mount 30Wh	1
Arri	K2.47351.0	<b>Power Supply NG 12/26 R</b> Power Supply for ARRI cameras. Power supply has one 12 V dc XLR 5 pin output and and one 26 V dc XLR 3 pin output. Input: AC 115-120V/60Hz or 220-240V/50Hz.	1

Arri	K2.41966.0	<b>Power Cable Straight (2m) KC-20</b> Connects the 24 V BAT (2 pin Fischer) power input on the ALEXA cameras to a battery power output with an XLR 3 pin connector.	1
Arri	K0.60040.A + K2.66039.0	<b>MB-20-System II SET for LWS (3-Stage) K0.60040.A</b> <b>Set includes: K2.47738.0, K2.65089.0, K2.65028.0, K2.65032.0, K2.65025.0</b> <small>K2.66039.0 - Adapter for 10mm Support Pods</small>	1
Arri	K2.47740.0	Górna flaga do MB-20 System-II (może być używana również jako dolna flaga)	1
Arri	K0.60029.0	Boczne flagi do MB-20 System-II (para 2x K2.47739.0)	1
Arri	K2.47691.0	Hard Matte Set, 35mm film	1
Arri	K2.52204.0	138mm Filter Ring Ø 114mm Compatible with Master Prime Lenses, UP 14mm, UP 180mm, LDS-UP 14mm and LDS-UP 180mm	1
Arri	K2.65095.0 + K2.65148.0	Filter Frame Combo 2szt 4"x5.65" H / 4"x4" + 2szt 5,65x5,65	4
Arri	K2.65245.0 + K2.52195.0	Screw-In Reduction Ring 134mm for Alury 18-80 + Screw-In Reduction Ring 114mm-104mm	1
Vocas	MB-450	Matte Box MB450 with combo frames, flags and 15mm/19mm mount support	2
Schneider	138mm	True Polarizer 138mm	1
Schneider	5,65/5,65	1/2ND 0.3/ 0.6 SE oraz HE	4
Tiffen	4,65/5,65	Polarizer, Black Promist 1/8, 1/4, 1/2 , Fog, Ultra Contrast, Soft FX 1, 1/2, 1/8	16
Tiffen	45650ND	filtry 4x5,65 ND 0.3/0.6/1.2/1.8	4
Arri	FSND	Zestaw filtrów wewnętrznych ND Clear 0.3/0.6/0.9/1.2/1.5/1.8/2.1/2.4 ARRI ALEXA XT wraz z walizką i mocowaniem IFM Shim	1
<b>Monitory</b>			
TVLogic	LVM-074W	Monitor LCD 7" + osłona przeciwsłoneczna + filtr akrylowy+ kable SDI (2x1m + 1x5m +1x10m)+ kabel 12V zasilający + ball head	2

Obiektywy			
Zeiss	Ultra Prime	Set Ultra Prime LDS Metric (16,24,32,40,50,65,85,100,135)	9
Arri	K2.47930.0	Obiektyw zoom 18-80/T2.6 mocowanie PL, metryczny + walizka	1
Statywy			
Oconnor	C1234-0002	Ultimate 2575 Głowica statywu, mocowanie 150mm, nośność 40 kg, uchwyt głowicy: ULTIMATE 2575D FLUID HEAD PACKAGE (150MM) C1234-0002 Package includes: Ultimate 2575D Fluid Head (150mm) C1234-0004 Euro Style Quick Release 2575-120 Pan handle for 2065, 2575 & 120EX ranges 2575-137 Pan handle extension for 1030-246 & 2575-137 2575-135 + CASE	1
Oconnor	2575-137+2575-135	Drugi uchwyt do głowicy 2065	1
Oconnor	C1221-0004	Niski statyw heavy duty, mocowanie 150mm, wys. 10-88cm	1
Oconnor	C1221-0003	Wysoki statyw heavy duty, mocowanie 150mm, wys. 85-176cm	1
Oconnor	C1222-0015	Spinacz podłogowy do trójnogu	2
Oconnor	08170	Tuba/walizka transportowa na trójnog	2
Vinten	Vision	Statyw Vinten Vision 100 , rozpórka dolna, torba	1
Dodatkowo			
GoPro	Hero 3	HD HERO3 Black Edition+ wifi remote+ suction cup (uchwyt) + grab bag mounts (akcesoria)+GOPRO LCD BACKPAC / glass back	1
KIPOR	IG3000	KIPOR Agregat benz, wyciszony, moc 2.8/3kW, AVR, rozruch ręczny i elektryczny	1
Apple	Macbook	MD101PL/A MacBook Pro 13-inch dual-core i5 2.5GHz/4GB/500GB/HD Graphics 4000/SD CTO_MD101PL/A/_R1 RAM 8GB,	1
Zestaw montażowy AVID			
AVID	Composer 7 Nitris	Zestaw montażowy <b>AVID 7 MEDIA COMPOSER Nitris DX</b> (stacja robocza HP Z800 STACJA: HP Z800 : Intel Xenon X5650 2,67 2,66 (2 procesory) RAM 12GB NVIDIA Quadro FX 3800 , monitory LCD 24", odsłuchy GENELEC, mikser audio), czytniki <b>CODEX / SONY</b>	1